



ARL BIO PHARMA
 840 RESEARCH PARKWAY, SUITE 546
 OKLAHOMA CITY, OK 73104
 PHONE (405) 271-1144
 FAX (405) 271-1174

Certificate Of Analysis

CLIENT: BET Pharmacy-KY
 Web Report

ARL #: 447515-01

LOT #: 29282@4

DESCRIPTION: Altrenogest microparticle 500 mg

DATE RECEIVED: 01/23/2018

STORAGE: 2°C to 8°C (35.6°F to 46.4°F)

CONTAINER: Eighteen 10 mL amber vials w/ powder and eighteen 10 mL clear vials w/ solution

Analyte / Specifications	Expected Amount	Units	Results	% Of EXP.	Test Method	Date Tested
Altrenogest Specifications = 90.0% - 110.0%	500	mg/Vial	589.5597	117.9%	HPLC	2/6/2018
Altrenogest Average Specifications = 90.0% - 110.0%	500	mg/Vial	584.9460	117.0%	HPLC	2/6/2018
Altrenogest Rerun A Specifications = 90.0% - 110.0%	500	mg/Vial	597.6553	119.5%	HPLC	2/6/2018
Altrenogest Rerun B Specifications = 90.0% - 110.0%	500	mg/Vial	594.6011	118.9%	HPLC	2/6/2018

Formulation ID: 03

The potency method(s) used for testing passed system suitability requirements per ARL SOP AMP-012 for non-cGMP analysis. Product specific method validation is not available for this sample and specification(s) are for informational purposes only. Client should verify the specification and analyte reported are correct for the compounded formulation.

* This is not a final result. After 14 days of incubation, the material being tested rendered the media turbid so that the presence or absence of microbial growth cannot be readily determined by visual examination. Per USP <71>, the sample will be inoculated into new growth media and incubated for an additional 4 days before the test is complete. An updated report will be issued at the conclusion of the test.

Amy Wehrenberg - Chemist II

02/09/2018

Date Reported

ARL Form QUF-078-V4 03/05/2010



ARL BIO PHARMA

840 RESEARCH PARKWAY, SUITE 546

OKLAHOMA CITY, OK 73104

PHONE (405) 271-1144

FAX (405) 271-1174



ARL BIO PHARMA
840 RESEARCH PARKWAY, SUITE 546
OKLAHOMA CITY, OK 73104
PHONE (405) 271-1144
FAX (405) 271-1174

Microbiology Report

CLIENT: BET Pharmacy-KY
Web Report

ARL #: 447515-01

LOT #: 29282@4

DESCRIPTION: Altrenogest microparticle 500 mg

DATE RECEIVED: 01/23/2018

STORAGE: 2°C to 8°C (35.6°F to 46.4°F)

CONTAINER: Eighteen 10 mL amber vials w/ powder and eighteen 10 mL clear vials w/ solution

ANALYSIS	Limits	Results	Test Method	Date Tested
Sterility (*Preliminary*)	Sterile / Not Sterile	No Growth at 14 Days (subcultured) *	USP <71>	01/23/2018
Endotoxin	3.59 EU/mcg	<0.0002 EU/mcg	USP <85>	01/26/2018
Fungal	Sterile / Not Sterile	No Growth at 14 Days (subcultured) *	MBI-114	01/23/2018

Results reported above relate only to the sample that was tested.



ARL BIO PHARMA

840 RESEARCH PARKWAY, SUITE 546

OKLAHOMA CITY, OK 73104

PHONE (405) 271-1144

FAX (405) 271-1174

Formulation ID: 03

The citation to USP <71> is conditioned on the accuracy of our customer's verification that the sampling program complies with the provisions of USP <71>.

* This is not a final result. After 14 days of incubation, the material being tested rendered the media turbid so that the presence or absence of microbial growth cannot be readily determined by visual examination. Per USP <71>, the sample will be inoculated into new growth media and incubated for an additional 4 days before the test is complete. An updated report will be issued at the conclusion of the test.

Sterility – This preliminary report was issued after approximately 72 hours of incubation. In accordance with the test methodology, the sample will be incubated for 14 days; if there is any change in the sample a supplemental report will be issued.

Fungal – This preliminary report was issued after approximately 4 days of incubation. In accordance with the test methodology, the sample will be incubated for 14 days; if there is any change in the sample a supplemental report will be issued.

Endotoxin - To calculate the endotoxin limit use the following formulae: $EL = K/M$ where $K =$ tolerance limit (EU/kg) and $M =$ Maximum dose/kg/hour or Maximum dose/kg

Parenteral: K is 5 EU/kg for any route of administration /Intrathecal: K is 0.2 EU/kg body weight)

Radiopharmaceutical parenteral: K is 175/V or Intrathecal radiopharmaceuticals: K is 14/V, where V is the maximum recommended dose in mL.

Dermal Application: K/M , where $K = 5$ EU/kg and M is the (maximum dose/m²/hour × 1.80 m²)/70 Kg.

01/29/2018

Keshia Parnell - Microbiologist II

Date Reported

ARL Form QUF-078-V6 11/26/2012



ARL BIO PHARMA
 840 RESEARCH PARKWAY, SUITE 546
 OKLAHOMA CITY, OK 73104
 PHONE (405) 271-1144
 FAX (405) 271-1174

Microbiology Report

CLIENT: BET Pharmacy-KY
 Web Report

ARL #: 447515-01

LOT #: 29282@4

DESCRIPTION: Altrenogest microparticle 500 mg

DATE RECEIVED: 01/23/2018

STORAGE: 2°C to 8°C (35.6°F to 46.4°F)

CONTAINER: Eighteen 10 mL amber vials w/ powder and eighteen 10 mL clear vials w/ solution

ANALYSIS	Limits	Results	Test Method	Date Tested
Sterility	Sterile / Not Sterile	Sterile	USP <71>	01/23/2018
Fungal	Sterile / Not Sterile	Sterile	MBI-114	01/23/2018

Formulation ID: 03

The citation to USP <71> is conditioned on the accuracy of our customer's verification that the sampling program complies with the provisions of USP <71>.

02/12/2018

Keshia Parnell - Microbiologist II

Date Reported

Sterility – 18 day sterility report. In accordance with the test methodology, the sample was incubated for a minimum of 18 days.

Fungal – 18 day fungal report. In accordance with the test methodology, the sample was incubated for a minimum of 18 days.

Results reported above relate only to the sample that was tested.

Microbiology Report

CLIENT: BET Pharmacy-KY
Web Report

ARL #: 447515-01

LOT #: 29282@4

DESCRIPTION: Altrenogest microparticle 500 mg

DATE RECEIVED: 01/23/2018


STORAGE: 2°C to 8°C (35.6°F to 46.4°F)

CONTAINER: Eighteen 10 mL amber vials w/ powder and eighteen 10 mL clear vials w/ solution

ANALYSIS	Limits	Results	Test Method	Date Tested
Sterility	Sterile / Not Sterile	Sterile	USP <71>	01/23/2018
Fungal	Sterile / Not Sterile	Sterile	MBI-114	01/23/2018

Formulation ID: 03

The citation to USP <71> is conditioned on the accuracy of our customer's verification that the sampling program complies with the provisions of USP <71>.



02/08/2018

Keshia Parnell - Microbiologist II

Date Reported

Sterility – 14 day sterility report. In accordance with the test methodology, the sample was incubated for 14 days.

Fungal – 14 day fungal report. In accordance with the test methodology, the sample was incubated for 14 days.

Results reported above relate only to the sample that was tested.